ELSEVIER

Journal of Materials Processing Technology 157–158 (2004) 788–789

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

# Author Index of Volumes 157–158

Absi Alfaro, S.C., 3
Adamczyk, J., 456
Adamczyk, Z., 8
Adamiak, M., 422
Alush, H., 16
Armeanu, A., 284
Arrieux, R., 596

Balan, T., 462
Balic, J., 114, 123, 150
Banabic, D., 23, 67, 462
Banaszek, G., 131, 208, 496
Baron, A., 442
Berski, S., 131, 208, 496
Bieńkowski, A., 743
Brezocnik, M., 28, 150
Brytan, Z., 312
Buchacz, A., 37, 45
Bugliosi, S., 370

Cajner, F., 55
Čaplovič, L'., 643, 729, 781
Carvalho, G.C., 3
Castaings, M., 513
Cheon, J.-S., 171
Chiabert, P., 61
Cizner, J., 348
Čížek, L., 466, 683
Clezio, E.L., 513
Comsa, D.S., 462
Comsa, S., 23, 67
Cosovici, G., 23, 67
Cus, F., 75, 82
Czmochowski, J., 405
Czyżniewski, A., 274

Danielewski, M., 213
David, E., 284, 290
de Melo Júnior, S.A., 3
Dermendjiev, I., 410
Dobrakowski, R., 159
Dobrański, L.A., 1
Dobrzańska, A., 91
Dobrzański, J., 102, 297
Dobrzański, L.A., 102, 107, 188, 245, 304, 312, 317, 324, 331, 341, 370, 380, 388, 422, 427, 466, 472, 650, 658, 669, 718, 755, 765, 776
Dolinšek, S., 485
Dollár, A., 491
Dollár, M., 491
Drak, M., 650
Drstvensek, I., 114, 123
Duszczyk, J., 718
Dyja, H., 131, 159, 177, 208, 496, 604
Dymarek, A., 138
Dzitkowski, T., 144

Ekinović, S., 485

Ficko, M., 28, 114, 150
Filipek, R., 213
Formanek, B., 348

Gagov, V., 620
Garstka, T., 159
Gawroński, J., 679
Gireń, B.G., 446
Goldenstein, H., 688
Gołombek, K., 304, 341, 388
Gramatyka, P., 755
Greger, M., 466, 683
Gregolin, E.N., 688
Grgac, P., 729
Griner, S., 755
Gronostajski, J., 502
Gronostajski, Z., 165
Gulbiński, W., 188

Haga, T., 508, 695, 701, 706
Hajduczek, E., 331, 472
Haneczok, G., 735
Haras, J., 513
Hepner, M., 364
Hernas, A., 348
Hosten, B., 513

Im, Y.-T., 171
Imielińska, K., 513
Imosa, M., 348

Jandová, D., 523
Janik, M., 177
Jordanov, M., 415
Julean, D., 23
Jurco, P., 23, 67

Kampuš, Z., 536
Kang, S.-H., 171
Kapranos, P., 508
Katz, Y., 16
Kawałek, A., 531
Kawiak, M., 584
Kazior, J., 712
Kecelj, B., 536
Křiž, A., 388
Kirn, R., 613
Koczurkiewicz, B., 159
Konieczny, J., 669, 718, 755
Kopač, J., 304, 354, 422, 485, 536, 543, 566
Kopczyński, A., 405
Korczak, P., 553
Kosec, L., 427
Koszkul, J., 183, 360
Koutský, J., 557, 724
Kovacic, M., 28
Kowalski, W.P., 561
Krajnik, P., 543, 566
Kramberger, J., 236
Križ, A., 410
Król, S., 364
Krupiński, M., 102
Kusy, M., 729
Kuwabara, T., 462
Kuzman, K., 536, 573
Kwaśny, W., 188, 312, 370, 410, 415
Kwapuliński, P., 735
Kwiatkowski, D., 360

Labisz, K., 718
Landek, D., 55
Lazar, A., 284
Lee, J.-H., 171
Lerher, T., 236
Lesz, S., 743, 771
Levenfeld, B., 324, 658
Lukaszkowicz, K., 317, 380

Madejski, J., 194
Maros, M.B., 16
Matsuura, T., 203
Matula, G., 324, 658
Matuszak, A., 502
Mazurkiewicz, J., 472
Milenin, A.A., 208
Molinari, A., 712
Mrówka, G., 624
Mróz, S., 131, 496
Mursec, B., 75, 82

Nabialek, J., 183
Nardin, B., 573
Nawrat, Z., 399
Nicolae, A.C., 290
Niechajowicz, A., 502
Nový, Z., 523
Nowacki, J., 213, 578, 584, 749
Nowosielski, R., 669, 755
Nykiel, M., 712

Ociepka, P., 221
Opiela, M., 456

Elsevier B.V.
doi:10.1016/S0924-0136(04)01250-6

Orlando, M., 61
Ozgowicz, W., 590

Pahole, I., 123
Pakuła, D., 331, 388
Pancielejko, M., 388, 394
Panjan, P., 613
Pappalardo, M., 228, 232
Paraianu, L., 23, 67
Paszenda, Z., 399
Pawlica, L., 466
Pawlyta, M., 188
Peev, M., 410
Pellegrino, A., 232
Pichler, A., 633
Pieczonka, T., 712, 749
Pires, G.P., 596
Ploj, T., 82
Potrč, I., 236
Precht, W., 274, 394, 451
Przybył, A., 669
Ptacek, L., 364
Puscas, T.M., 712

Radev, R., 617, 620
Rasek, J., 735
Řehoř, J., 523
Robert, M.H., 596
Rusiński, E., 405
Rusz, S., 604
Rydz, D., 609

Santos, R.G., 688
Shishkov, R., 312, 410, 415
Sieniawski, J., 624
Sitek, W., 102, 245
Skołud, B., 91
Smoljan, B., 55
Soković, M., 304, 341, 422, 427, 613
Šraml, M., 236
Stanciu, V., 290
Starosta, R., 434
Stokłosa, Z., 735
Suzuki, S., 695
Świder, J., 221, 250, 256
Szajnar, J., 679, 761
Szewczyk, R., 743
Szewieczek, D., 442, 743, 765, 771, 776
Szkodo, M., 446
Szymiczek, M., 637

Takahashi, K., 701, 706
Talaie, A., 290
Tański, T., 466
Tomov, B., 312, 617, 620
Torralba, J.M., 324, 658
Traint, S., 633
Trzaska, J., 107
Tsipouridis, P., 633
Tóth, L., 16
Tyrlik-Held, J., 399

Veselá, J., 724
Várez, A., 324, 658
Vyrostkova, A., 729

Walasek, T.A., 262
Walkowiak, W., 451
Warmuzek, M., 624
Wasilkowska, A., 633
Werner, E.A., 633
Widomska, M., 683
Wierzbicki, Ł., 637
Wilczek, K., 399
Wojtyra, R., 513
Wróbel, G., 637
Wróbel, P., 679
Wszołek, G., 250, 256, 268
Wysłocki, J., 669

Zacłona, J., 245
Żak, J., 399
Zalisz, Z., 364
Zarychta, A., 380
Ziębowicz, B., 765, 776
Zielinski, A., 434
Zimniak, Z., 502
Žitňanský, M., 643, 781
Zuperl, U., 82

ELSEVIER

Journal of Materials Processing Technology 157–158 (2004) 790–800

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

# Subject Index of Volumes 157–158

Abrasive wear
The influence of cast method and anodizing parameters on structure and layer thickness of aluminium alloys, 718
Adding decision method
The requirements and possibilities balance method used for production planning in the manufacturing assembly systems, 91
Adhesion
Ti+TiN, Ti+Ti($C_xN_{1-x}$), Ti+TiC PVD coatings on the ASP 30 sintered high-speed steel, 370
Evaluation of white metal adhesion (conventional casting and thermal wire arc spraying) by ultrasonic non-destructive method, 724
Adhesive
Surface modification of polytetrafluoroethylene for adhesive bonding, 284
Advisory system
Object-oriented system for computer aiding of the machines conceptual design process, 221
Algorithm
The system of automation for controlled cooling of the shapes 159
Alloy layer
Study on theoretical bases of receiving composite alloy layers on surface of cast steel castings, 679
Alloys
Evaluation of white metal adhesion (conventional casting and thermal wire arc spraying) by ultrasonic non-destructive method, 724
Aluminium
Surface modification of polytetrafluoroethylene for adhesive bonding, 284
Studies on drawing of the aluminium A5052 alloy in the thixocast condition, 596
Aluminium alloy
FLD theoretical model using a new anisotropic yield criterion 23
Influence of the heat treatment on the precipitation of the intermetallic phases in commercial AlMn1FeSi alloy, 624
Aluminum matrix composite
Co-continuous silica–aluminum composite, 688
Amorphous
Electrochemical corrosion properties of amorphous $Fe_{78}Si_{13}B_9$ alloy, 442
Amorphous alloys
The structure and magnetoelastic properties of the Fe-based amorphous alloy with Hf addition, 743
Amorphous materials
Magnetic properties of amorphous and nanocrystalline alloys based on iron, 735
Analysis
Analysis of complex mechanical systems based on the block diagrams and the matrix hybrid graphs method, 250
Vibration analysis of the excavator model in GRAFSIM program on the basis of a block diagram method, 268
Analytical-neural routine
A hybrid analytical-neural network approach to the determination of optimal cutting conditions, 82
Anisotropy
FLD theoretical model using a new anisotropic yield criterion, 23
An anisotropic yield criterion for sheet metals, 462
Anodizing
The influence of cast method and anodizing parameters on structure and layer thickness of aluminium alloys, 718
Approximation
Information in metric space, 228
Ar/$O_2$ separation
Synthesis of carbon molecular sieves by benzene pyrolysis over microporous carbon materials, 290
Asymmetrical forging
Effect of symmetrical and asymmetrical forging processes on the quality of forged products, 496
Asymmetrical rolling
The theoretical and experimental analysis of the effect of asymmetrical rolling on the value of unit pressure, 531
The optimal conditions for production of bimetallic plate St36K+0H13J in asymmetrical hot rolling, 609
Asymmetry ratio
The theoretical and experimental analysis of the effect of asymmetrical rolling on the value of unit pressure, 531
Atomic force microscopy
Usefulness of passive-carbon layer for implants applied in interventional cardiology, 399
Automation
The system of automation for controlled cooling of the shapes, 159

Backward extrusion
Finite element simulation of tip test with an aluminum alloy, 171
Beam
Hypergraphs and their subgraphs in modelling and investigation of robots, 37
Benzene
Synthesis of carbon molecular sieves by benzene pyrolysis over microporous carbon materials, 290
Bias potential
Structure and properties of the Ti+Ti(C,N) coatings obtained in the PVD process on sintered high speed steel, 312
Billet
Modelling of three-dimensional temperature field inside the mould during continuous casting of steel, 177
Bimetallic plate
The optimal conditions for production of bimetallic plate St36K+0H13J in asymmetrical hot rolling, 609
Bimetallic rods
Theoretical analysis and optimisation of parameters in extrusion process of explosive cladded bimetallic rods, 208
Biocompatible material
Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V, 643

Elsevier B.V.
doi:10.1016/S0924-0136(04)01251-8

Block diagrams
Analysis of complex mechanical systems based on the block diagrams and the matrix hybrid graphs method, 250
Vibration analysis software based on a matrix hybrid graph transformation into a structure of a block diagram method, 256
Vibration analysis of the excavator model in GRAFSIM program on the basis of a block diagram method, 268
Borides
Dilatometric analysis of sintering of iron–boron–cobalt P/M metal matrix composites, 749
Bronze
Thermal analysis of vacancy defects in quenched tin bronze-α 590

CAE
Viscosity models in simulation of the filling stage of the injection molding process, 183
CAPD method
Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel, 394
Carbon molecular sieve
Synthesis of carbon molecular sieves by benzene pyrolysis over microporous carbon materials, 290
Carbon steel
Friction and wear properties of titanium and oxidised titanium in dry sliding against hardened C45 steel, 364
Carbon-based coatings
Deposition and some properties of nanocrystalline, nanocomposite and amorphous carbon-based coatings for tribological applications, 274
Case-based reasoning (CBR)
Object-oriented system for computer aiding of the machines conceptual design process, 221
Castings
Study of selected properties of magnesium alloy AZ91 after heat treatment and forming, 466
Cavitation erosion
Cavitation erosion of steels processed by $CO_2$ laser beams of various parameters, 446
CCT diagrams
Application of neural networks to forecasting the CCT diagrams, 107
Cemented carbides
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process 341
Centrifugal compressor impeller
Brazed joints evaluation and computer modelling of mass transport in multi-component systems in the Au–Ni solder-14-5 PH joints, 213
Weldability of 17-4 PH stainless steel in centrifugal compressor impeller applications, 578
Ceramics
On the strength and ductility of nanocrystalline materials, 491
Chip segmentation
A contribution to the understanding of chip formation mechanism in high-speed cutting of hardened steel, 485
Chlorine–sulfur corrosion
High-temperature chlorine–sulfur corrosion of heat-resisting steels, 348
Classification
Information in metric space, 228
Closed die forging
Influence of flash design upon process parameters of hot die forging, 620
Closed die forging, preform design
An example of determination of preforming steps in hot die forging, 617
$CO_2$ laser beam
Cavitation erosion of steels processed by $CO_2$ laser beams of various parameters, 446
Coal
Synthesis of carbon molecular sieves by benzene pyrolysis over microporous carbon materials, 290
Coatings
Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process, 341
Co-continuous aluminum-alumina
Co-continuous silica–aluminum composite, 688
Columnar crystals
The columnar crystals shape and castings structure cast in magnetic field, 761
Composite
Study on theoretical bases of receiving composite alloy layers on surface of cast steel castings, 679
Composite materials
Structure and properties of composite materials with polymer matrix reinforced Nd–Fe–B hard magnetic nanostructured particles, 650
Composite metallic–ceramic coatings
Effect of chemical composition on corrosion and wear behaviour of the composite Ni–Fe–$Al_2O_3$ coatings, 434
Composite strip
Casting of composite strip using a twin roll caster, 701
Composites
The creep tests of polyoxymethylene composites reinforced with the microspheres from fly ashes, 360
Computer aided manufacturing
Integration concept of CAM system and tool diagnostic system in optimisation of machining processes, 8
Computer simulation
Experimental verification of Monte Carlo recrystallization model, 262
Conceptual design
Object-oriented system for computer aiding of the machines conceptual design process, 221
Conditions of deformation
Structure and mechanical properties of formed tungsten based materials, 683
Continuous casting
Modelling of three-dimensional temperature field inside the mould during continuous casting of steel, 177
Controlled heat treatment
The structure and magnetoelastic properties of the Fe-based amorphous alloy with Hf addition, 743
Controlled rolling
Influence of controlled rolling condition on microstructure and mechanical properties of low carbon micro-alloyed steels, 553
Conveying pipes
Influence of controlled rolling condition on microstructure and mechanical properties of low carbon micro-alloyed steels, 553
Cooling process
The system of automation for controlled cooling of the shapes, 159
Coronary stents
Usefulness of passive-carbon layer for implants applied in interventional cardiology, 399
Corrosion
Effect of chemical composition on corrosion and wear behaviour of the composite Ni–Fe–$Al_2O_3$ coatings, 434
Corrosion investigations
Usefulness of passive-carbon layer for implants applied in interventional cardiology, 399

Crack initiation
Some insights into the remote strain versus fatigue life relationship, 16
Crack resistance
Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions 456
Creep
Computer aided method for evaluation of failure class of materials working in creep conditions, 102
The creep tests of polyoxymethylene composites reinforced with the microspheres from fly ashes, 360
Creep service
Internal damage processes in low alloy chromium–molybdenum steels during high-temperature creep service, 297
Cr–Mo steels
Internal damage processes in low alloy chromium–molybdenum steels during high-temperature creep service, 297
CrN coatings
Structure and properties of X150CrMo12 steel after PVDM-R by magnetron deposition of chromium nitride coatings with next heat treatment, 415
CrNiMo steel
Usefulness of passive-carbon layer for implants applied in interventional cardiology, 399
Crystallisation
Magnetic properties of amorphous and nanocrystalline alloys based on iron, 735
Cutting
Databases for technological information systems, 75
Cutting ability test
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Cutting conditions
A hybrid analytical-neural network approach to the determination of optimal cutting conditions, 82
Cutting tests
Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process, 341
CVD
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process, 341
Structure and properties of the $Si_3N_4$ nitride ceramics with hard wear resistant coatings, 388

Damage mechanics
Some insights into the remote strain versus fatigue life relationship, 16
Database
Databases for technological information systems, 75
A hybrid analytical-neural network approach to the determination of optimal cutting conditions, 82
Debinding
Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels, 324
Decohesion process
Internal damage processes in low alloy chromium–molybdenum steels during high-temperature creep service, 297
Design system
The system for sheet metal forming design of complex parts, 502
Die and mold manufacturing
Modern machining of die and mold tools, 543
Die casting tools
Possibilities of improvement of dies casting tools with duplex treatment, 613
Die filling
An example of determination of preforming steps in hot die forging, 617
Diffusion
(Cr, Me)N coatings deposited in a vacuum furnace by magnetron sputtering of a ferrochromium alloy, 410
Diffusion couple
Diffusion across PVD coated cermet tool/workpiece interface, 427
Diffusion process
Diffusion across PVD coated cermet tool/workpiece interface, 427
Dilatometric analysis
Dilatometric analysis of sintering of iron–boron–cobalt P/M metal matrix composites, 749
Discrete event simulation
Simulation model of multi-shuttle automated storage and retrieval systems, 236
Dislocations
Microstructural changes taking place during the thermo-mechanical processing and cold working of steel 18Cr18Mn0.5N, 523
Downward melt drag single roll caster
A downward melt drag single roll caster for casting semisolid slurry, 695
Downward melt-drag twin roll caster
Casting of composite strip using a twin roll caster, 701
Downward melt drag twin roll caster, 706
Dry high-speed cutting
Wear of PVD-coated solid carbide end mills in dry high-speed cutting, 422
Ductility
On the strength and ductility of nanocrystalline materials, 491
Duplex treatment
Possibilities of improvement of dies casting tools with duplex treatment, 613
Dynamic recovery
Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions, 456
Dynamical characteristic
Modifications of cascade structures in computer aided design of mechanical continuous vibration bar systems represented by graphs and structural numbers, 45

EDM
Determination of manufacturing technologies in mould manufacturing, 573
EDS
Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel, 394
EDS X-ray microanalysis
Influence of the heat treatment on the precipitation of the intermetallic phases in commercial AlMn1FeSi alloy, 624
Electrochemical corrosion properties
Electrochemical corrosion properties of amorphous $Fe_{78}Si_{13}B_9$ alloy, 442
Entropy
Information in metric space, 228
ERDA
Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel, 394
Erosion resistance
Ti+TiN, Ti+Ti($C_xN_{1-x}$), Ti+TiC PVD coatings on the ASP 30 sintered high-speed steel, 370
Evolutionary algorithms
Prediction of surface roughness with genetic programming, 28

Experimental test
Tests of thin-walled beams joined by spot welding, 405
Expert system
Autonomous track geometry diagnostics system, 194
Extrusion process
Theoretical analysis and optimisation of parameters in extrusion process of explosive cladded bimetallic rods, 208

Facility layout
Designing the layout of single- and multiple-rows flexible manufacturing system by genetic algorithms, 150
Fatigue ductility exponent
Some insights into the remote strain versus fatigue life relationship, 16
Fatigue tests
Usefulness of passive-carbon layer for implants applied in interventional cardiology, 399
Feature extraction
An application of neural network for selecting feature parameters in machinery diagnosis, 203
Feature parameters
An application of neural network for selecting feature parameters in machinery diagnosis, 203
Fe-based materials
Electrochemical corrosion properties of amorphous $Fe_{78}Si_{13}B_9$ alloy, 442
FEM computations
Tests of thin-walled beams joined by spot welding, 405
Fine particles
Investigation of fine grains distribution using the sedimentation analysis, 561
FINEMET alloy
Structure and magnetic properties of nanocomposites of nanocrystalline powder—polymer type, 765
Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type, 776
Finite element analysis
An example of determination of preforming steps in hot die forging, 617
Influence of flash design upon process parameters of hot die forging, 620
Finite element method (FEM)
Modelling of three-dimensional temperature field inside the mould during continuous casting of steel, 177
Finite-element simulation
Simulation of the hydroforming process using a new orthotropic yield criterion, 67
Finite element simulation of tip test with an aluminum alloy, 171
Fire-resistant cast steel alloys
The influence of Cr on tool wear by machining, 354
Flash design
Influence of flash design upon process parameters of hot die forging, 620
Flexible manufacturing systems (FMS)
Designing the layout of single- and multiple-rows flexible manufacturing system by genetic algorithms, 150
Fly ashes
The creep tests of polyoxymethylene composites reinforced with the microspheres from fly ashes, 360
Forced convection
The columnar crystals shape and castings structure cast in magnetic field, 761
Forging die
Speciality of HSC in manufacturing of forging dies, 536
Forming
Studies on drawing of the aluminium A5052 alloy in the thixocast condition, 596
Forming operations
The system for sheet metal forming design of complex parts, 502
Forming programs
The influence of technological parameters on the rotary pressing process, 604
Fractal geometry
Fractal nature of surface topography and physical properties of the coatings obtained using magnetron sputtering, 188
Free hot forging
Modelling of shape anvils in free hot forging of long products, 131
Friction coefficient
Influence of tribological conditions on the dry friction mechanism of PVD Zr–C:H hard coatings, 451

GDOES
Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel, 394
GDOS
Structure, chemical and phase compositions of coatings deposited by reactive magnetron sputtering onto the brass substrate 380
GD&T
About a CAT model consistent with ISO/TC 213 last issues, 61
Genetic algorithms (GAs)
Designing the layout of single- and multiple-rows flexible manufacturing system by genetic algorithms, 150
Genetic programming
Prediction of surface roughness with genetic programming, 28
GMAW
Stand offs indirect estimation in GMAW, 3
GPS
About a CAT model consistent with ISO/TC 213 last issues, 61
Grain boundaries
On the strength and ductility of nanocrystalline materials, 491
Graph
The sensitivity as a criterion of synthesis of discrete vibrating fixed mechanical system, 138

Hard milling
Speciality of HSC in manufacturing of forging dies, 536
Hardening
The influence of technological parameters on the rotary pressing process, 604
Hardness
Structure and properties of X150CrMo12 steel after PVDM-R by magnetron deposition of chromium nitride coatings with next heat treatment, 415
The influence of cast method and anodizing parameters on structure and layer thickness of aluminium alloys, 718
Hard-steel
A contribution to the understanding of chip formation mechanism in high-speed cutting of hardened steel, 485
Heat treatment
Structure and properties of X150CrMo12 steel after PVDM-R by magnetron deposition of chromium nitride coatings with next heat treatment, 415
Study of selected properties of magnesium alloy AZ91 after heat treatment and forming, 466
Influence of the heat treatment on the precipitation of the intermetallic phases in commercial AlMn1FeSi alloy, 624
Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V, 643
The structure and selected physical properties of the nanocrystalline $Fe_{92.4}Hf_{4.2}B_{3.4}$ alloy, 771
The preparing of Ti–6Al–4V alloy in laboratory conditions, 781
High *L/D* ratio
Speciality of HSC in manufacturing of forging dies, 536

High speed milling
Speciality of HSC in manufacturing of forging dies, 536
High speed steels
Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels, 324
High storage rack
Simulation model of multi-shuttle automated storage and retrieval systems, 236
High-energy ball milling process
Properties and structure of the toroidal magnetically soft cores made from the amorphous strips, powder, and composite materials, 669
Magnetic properties of high-energy milled $Fe_{78}Si_{13}B_9$ nanocrystalline powders and powder-based nanocomposites, 755
High-nitrogen austenitic steel
Microstructural changes taking place during the thermo-mechanical processing and cold working of steel 18Cr18Mn0.5N 523
High-resisting steel
High-temperature chlorine–sulfur corrosion of heat-resisting steels, 348
High-speed cutting (HSC)
Modern machining of die and mold tools, 543
The influence of Cr on tool wear by machining, 354
High-speed machining
A contribution to the understanding of chip formation mechanism in high-speed cutting of hardened steel, 485
High-speed steels
The modelling of high-speed steels' properties using neural networks, 245
Structure and mechanical properties of HSS HS6-5-2- and HS12-1-5-5-type steel produced by modified powder injection moulding process, 658
HIP
Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V, 643
Horizontal type caster
Downward melt drag twin roll caster, 706
Hot-work tool steels
Effect of thermal treatment on structure of newly developed 47CrMoWVTiCeZr16-26-8 hot-work tool steel, 472
HSC
Determination of manufacturing technologies in mould manufacturing, 573
HVOF thermal spraying
High velocity oxy-fuel spraying, 557
Hypereutectic alloy
Solidification microstructures in the rapidly solidified powder of high alloyed V–Cr tool steel, 729
Hypergraph
Modifications of cascade structures in computer aided design of mechanical continuous vibration bar systems represented by graphs and structural numbers, 45
Computer-aided synthesis of discrete–continuous subsystems of machines with the assumed frequency spectrum represented by graphs, 144

Image analysis
Computer aided method for evaluation of failure class of materials working in creep conditions, 102
Immobility
The sensitivity as a criterion of synthesis of discrete vibrating fixed mechanical system, 138
Impact
Air-coupled ultrasonic C-scan technique in impact response testing of carbon fibre and hybrid: glass, carbon and Kevlar/epoxy composites, 513
Inclination angle
The influence of technological parameters on the rotary pressing process, 604
Induction hardening
Computer simulation of induction hardening, 55
Infrastructure
Autonomous track geometry diagnostics system, 194
Injection molding
Viscosity models in simulation of the filling stage of the injection molding process, 183
Intelligence
Relational database as a cogitative part of an intelligent manufacturing system, 114
Interdiffusion in the 14-5 PH steel/Au–18Ni solder
Brazed joints evaluation and computer modelling of mass transport in multi-component systems in the Au–Ni solder-14-5 PH joints, 213
Intermetallic phase
Influence of the heat treatment on the precipitation of the intermetallic phases in commercial AlMn1FeSi alloy, 624
Intermetallics
On the strength and ductility of nanocrystalline materials, 491

Joint
Surface modification of polytetrafluoroethylene for adhesive bonding, 284

Kinetics
New method of static softening kinetics determination, 165
Knowledge based system
Integration concept of CAM system and tool diagnostic system in optimisation of machining processes, 8

Laminate
Thixoforming of laminate made from semisolid cast strips, 508
Laser processing of steels
Cavitation erosion of steels processed by $CO_2$ laser beams of various parameters, 446
LCF
Some insights into the remote strain versus fatigue life relationship, 16
Lengthwisely-flexibly-torsionally vibrating mechanical system
Hypergraphs and their subgraphs in modelling and investigation of robots, 37
Link
Hypergraphs and their subgraphs in modelling and investigation of robots, 37
Local approach
Some insights into the remote strain versus fatigue life relationship, 16
Longitudinal vibration
Computer-aided synthesis of discrete–continuous subsystems of machines with the assumed frequency spectrum represented by graphs, 144

Machinery diagnosis
An application of neural network for selecting feature parameters in machinery diagnosis, 203
Machining
The influence of Cr on tool wear by machining, 354
Magnesium alloys
Study of selected properties of magnesium alloy AZ91 after heat treatment and forming, 466
Magnetic field
The columnar crystals shape and castings structure cast in magnetic field, 761

Magnetoelastic properties
The structure and magnetoelastic properties of the Fe-based amorphous alloy with Hf addition, 743
Magnetron sputtering
Deposition and some properties of nanocrystalline, nanocomposite and amorphous carbon-based coatings for tribological applications, 274
Structure and properties of the Ti+Ti(C,N) coatings obtained in the PVD process on sintered high speed steel, 312
Structure and properties of X150CrMo12 steel after PVDM-R by magnetron deposition of chromium nitride coatings with next heat treatment, 415
Manson-Coffin rule
Some insights into the remote strain versus fatigue life relationship, 16
Manufacturing assembly system
The requirements and possibilities balance method used for production planning in the manufacturing assembly systems, 91
Manufacturing systems
Prediction of surface roughness with genetic programming, 28
Relational database as a cogitative part of an intelligent manufacturing system, 114
Mathematical statistical analysis
Some insights into the remote strain versus fatigue life relationship, 16
Matrix experiment
Adequacy of matrix experiment in grinding, 566
Matrix hybrid graphs
Analysis of complex mechanical systems based on the block diagrams and the matrix hybrid graphs method, 250
Vibration analysis software based on a matrix hybrid graph transformation into a structure of a block diagram method, 256
Vibration analysis of the excavator model in GRAFSIM program on the basis of a block diagram method, 268
MaxEnt
Information in metric space, 228
MaxInf principle
Application of non-probabilistic information, 232
Mechanical nanocrystallization
Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type, 776
Mechanical properties
Computer simulation of induction hardening, 55
Deposition and some properties of nanocrystalline, nanocomposite and amorphous carbon-based coatings for tribological applications, 274
Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions, 456
Study of selected properties of magnesium alloy AZ91 after heat treatment and forming, 466
Mechanical properties of joints
Deformability of WC–Co sinters and 17-4 PH steel brazed joints, 584
Mechanical systems
Analysis of complex mechanical systems based on the block diagrams and the matrix hybrid graphs method, 250
Vibration analysis software based on a matrix hybrid graph transformation into a structure of a block diagram method, 256
Vibration analysis of the excavator model in GRAFSIM program on the basis of a block diagram method, 268
Metal matrix composites
Dilatometric analysis of sintering of iron–boron–cobalt P/M metal matrix composites, 749
Metallic glasses
Properties and structure of the toroidal magnetically soft cores made from the amorphous strips, powder, and composite materials, 669
Magnetic properties of high-energy milled $Fe_{78}Si_{13}B_9$ nanocrystalline powders and powder-based nanocomposites, 755
Structure and magnetic properties of nanocomposites of nanocrystalline powder—polymer type, 765
Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type, 776
Metals
On the strength and ductility of nanocrystalline materials, 491
Method
New method of static softening kinetics determination, 165
Microalloyed stells
Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions, 456
Micro-hardness
Fractal nature of surface topography and physical properties of the coatings obtained using magnetron sputtering, 188
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process, 341
Ti+TiN, Ti+Ti($C_xN_{1-x}$), Ti+TiC PVD coatings on the ASP 30 sintered high-speed steel, 370
Structure and properties of the $Si_3N_4$ nitride ceramics with hard wear resistant coatings, 388
Microstructure
Deposition and some properties of nanocrystalline, nanocomposite and amorphous carbon-based coatings for tribological applications, 274
Influence of controlled rolling condition on microstructure and mechanical properties of low carbon micro-alloyed steels, 553
Influence of the heat treatment on the precipitation of the intermetallic phases in commercial AlMn1FeSi alloy, 624
Microstructure and tensile behaviour of cold-rolled TRIP-aided steels, 633
Microstructure evolution
Experimental verification of Monte Carlo recrystallization model, 262
Milling
Prediction of surface roughness with genetic programming, 28
Mobility
The sensitivity as a criterion of synthesis of discrete vibrating fixed mechanical system, 138
Modelling
Application of neural networks to forecasting the CCT diagrams, 107
The modelling of high-speed steels' properties using neural networks, 245
Modern machine tools
The influence of Cr on tool wear by machining, 354
Monte Carlo modeling
Experimental verification of Monte Carlo recrystallization model, 262
Monte Carlo simulation
Experimental verification of Monte Carlo recrystallization model, 262
Moulds
Modelling of three-dimensional temperature field inside the mould during continuous casting of steel, 177
Determination of manufacturing technologies in mould manufacturing, 573
Multi-component coatings
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics 331

Multi-layer coatings
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Structure and properties of the $Si_3N_4$ nitride ceramics with hard wear resistant coatings, 388

Nanocomposites
Properties and structure of the toroidal magnetically soft cores made from the amorphous strips, powder, and composite materials, 669
Magnetic properties of high-energy milled $Fe_{78}Si_{13}B_9$ nanocrystalline powders and powder-based nanocomposites, 755
Structure and magnetic properties of nanocomposites of nanocrystalline powder—polymer type, 765
Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type, 776
Nanocrystalline alloys
The structure and selected physical properties of the nanocrystalline $Fe_{92.4}Hf_{4.2}B_{3.4}$ alloy, 771
Nanocrystallization
Properties and structure of the toroidal magnetically soft cores made from the amorphous strips, powder, and composite materials, 669
Magnetic properties of high-energy milled $Fe_{78}Si_{13}B_9$ nanocrystalline powders and powder-based nanocomposites, 755
Structure and magnetic properties of nanocomposites of nanocrystalline powder—polymer type, 765
Nanomaterials
On the strength and ductility of nanocrystalline materials, 491
Nanopowder
Structure and magnetic properties of nanocomposites of nanocrystalline powder—polymer type, 765
Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type, 776
Nanostructure
Magnetic properties of amorphous and nanocrystalline alloys based on iron, 735
NC machine tools
A model of data flow in lower CIM levels, 123
Nd–Fe–B
Structure and properties of composite materials with polymer matrix reinforced Nd–Fe–B hard magnetic nanostructured particles, 650
NDT testing
Air-coupled ultrasonic C-scan technique in impact response testing of carbon fibre and hybrid: glass, carbon and Kevlar/epoxy composites, 513
NDT ultrasonic technique
Air-coupled ultrasonic C-scan technique in impact response testing of carbon fibre and hybrid: glass, carbon and Kevlar/epoxy composites, 513
Neural network
Computer aided method for evaluation of failure class of materials working in creep conditions, 102
Application of neural networks to forecasting the CCT diagrams, 107
An application of neural network for selecting feature parameters in machinery diagnosis, 203
The modelling of high-speed steels' properties using neural networks, 245
Nitride ceramics
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Structure and properties of the $Si_3N_4$ nitride ceramics with hard wear resistant coatings, 388
Non-probabilistic information
Application of non-probabilistic information, 232
Numerical analysis
Viscosity models in simulation of the filling stage of the injection molding process, 183
Deformability of WC–Co sinters and 17-4 PH steel brazed joints, 584
Numerical modelling
Computer simulation of induction hardening, 55
Numerical simulation
Experimental verification of Monte Carlo recrystallization model, 262

Optimization
A hybrid analytical-neural network approach to the determination of optimal cutting conditions, 82
Designing the layout of single- and multiple-rows flexible manufacturing system by genetic algorithms, 150
Magnetic properties of amorphous and nanocrystalline alloys based on iron, 735
Orbital pressing
The influence of technological parameters on the rotary pressing process, 604
Orthogonal array
Adequacy of matrix experiment in grinding, 566
Oxygen
Friction and wear properties of titanium and oxidised titanium in dry sliding against hardened C45 steel, 364

Passive-carbon layer
Usefulness of passive-carbon layer for implants applied in interventional cardiology, 399
Performance analyses
Simulation model of multi-shuttle automated storage and retrieval systems, 236
Permanent magnets
Structure and properties of composite materials with polymer matrix reinforced Nd–Fe–B hard magnetic nanostructured particles, 650
Phase analysis
Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V, 643
Physical properties
The structure and selected physical properties of the nanocrystalline $Fe_{92.4}Hf_{4.2}B_{3.4}$ alloy, 771
Pin-on-disk
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics 331
Pin-on-disk method
Influence of tribological conditions on the dry friction mechanism of PVD Zr–C:H hard coatings, 451
Pipelines
Swagelining as a method of pipelines rehabilitation, 637
Plane stress
FLD theoretical model using a new anisotropic yield criterion 23
Plasma metallurgy
Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V, 643
The preparing of Ti–6Al–4V alloy in laboratory conditions, 781
Plasma nitriding
Possibilities of improvement of dies casting tools with duplex treatment, 613
Plastic anisotropy
Simulation of the hydroforming process using a new orthotropic yield criterion, 67

Polar graph
Computer-aided synthesis of discrete–continuous subsystems of machines with the assumed frequency spectrum represented by graphs, 144
Polymer composites
Air-coupled ultrasonic C-scan technique in impact response testing of carbon fibre and hybrid: glass, carbon and Kevlar/epoxy composites, 513
Polyoxymethylene
The creep tests of polyoxymethylene composites reinforced with the microspheres from fly ashes, 360
Polytetrafluoroethylene
Surface modification of polytetrafluoroethylene for adhesive bonding, 284
Powder injection moulding
Structure and mechanical properties of HSS HS6-5-2- and HS12-1-5-5-type steel produced by modified powder injection moulding process, 658
Powder materials
Properties and structure of the toroidal magnetically soft cores made from the amorphous strips, powder, and composite materials, 669
Powder metallurgy
Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels, 324
Structure and mechanical properties of HSS HS6-5-2- and HS12-1-5-5-type steel produced by modified powder injection moulding process, 658
Co-continuous silica–aluminum composite, 688
Solidification microstructures in the rapidly solidified powder of high alloyed V–Cr tool steel, 729
Pressing
Structure and magnetic properties of nanocomposites of nanocrystalline powder—polymer type, 765
Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type, 776
Pressure forces
The influence of technological parameters on the rotary pressing process, 604
Pressureless forming
Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels, 324
Probability
Information in metric space, 228
Production automation
Relational database as a cogitative part of an intelligent manufacturing system, 114
A model of data flow in lower CIM levels, 123
Production planning
The requirements and possibilities balance method used for production planning in the manufacturing assembly systems, 91
Production time and costs
The influence of Cr on tool wear by machining, 354
Programmable logic controller
The system of automation for controlled cooling of the shapes, 159
PVD
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process, 341
PVD coated cermet
Diffusion across PVD coated cermet tool/workpiece interface, 427
PVD coatings
Fractal nature of surface topography and physical properties of the coatings obtained using magnetron sputtering, 188
Structure and properties of the Ti+Ti(C,N) coatings obtained in the PVD process on sintered high speed steel, 312
Erosion resistance and tribological properties of coatings deposited by reactive magnetron sputtering method onto the brass substrate, 317
Ti+TiN, Ti+Ti($C_xN_{1-x}$), Ti+TiC PVD coatings on the ASP 30 sintered high-speed steel, 370
Structure, chemical and phase compositions of coatings deposited by reactive magnetron sputtering onto the brass substrate, 380
(Cr, Me)N coatings deposited in a vacuum furnace by magnetron sputtering of a ferrochromium alloy, 410
PVD CrN coating
Possibilities of improvement of dies casting tools with duplex treatment, 613
PVD-coated end mills
Wear of PVD-coated solid carbide end mills in dry high-speed cutting, 422

Quality of forging
Modelling of shape anvils in free hot forging of long products, 131
Effect of symmetrical and asymmetrical forging processes on the quality of forged products, 496
Quenching
Computer simulation of induction hardening, 55

Radial tip distance
Finite element simulation of tip test with an aluminum alloy, 171
Radial-trapezoid anvils
Modelling of shape anvils in free hot forging of long products, 131
Effect of symmetrical and asymmetrical forging processes on the quality of forged products, 496
Rapid solidification
Solidification microstructures in the rapidly solidified powder of high alloyed V–Cr tool steel, 729
RBS
Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel, 394
Recrystallization
Experimental verification of Monte Carlo recrystallization model, 262
Reduction value
The influence of technological parameters on the rotary pressing process, 604
Rehabilitation
Swagelining as a method of pipelines rehabilitation, 637
Relational database
Relational database as a cogitative part of an intelligent manufacturing system, 114
Residual life
Computer aided method for evaluation of failure class of materials working in creep conditions, 102
Residual stresses
High velocity oxy-fuel spraying, 557
Revolution value
The influence of technological parameters on the rotary pressing process, 604
Rheocasting
Studies on drawing of the aluminium A5052 alloy in the thixocast condition, 596
A downward melt drag single roll caster for casting semisolid slurry, 695
Rhombus anvils
Effect of symmetrical and asymmetrical forging processes on the quality of forged products, 496
Roughness
The influence of cast method and anodizing parameters on structure and layer thickness of aluminium alloys, 718

Roughness parameter
Fractal nature of surface topography and physical properties of the coatings obtained using magnetron sputtering, 188

Score
An application of neural network for selecting feature parameters in machinery diagnosis, 203
Scratch test
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Erosion resistance and tribological properties of coatings deposited by reactive magnetron sputtering method onto the brass substrate, 317
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process, 341
Structure and properties of the $Si_3N_4$ nitride ceramics with hard wear resistant coatings, 388
Secondary hardness
The modelling of high-speed steels' properties using neural networks, 245
Secondary hardness effect
Effect of thermal treatment on structure of newly developed 47CrMoWVTiCeZr16-26-8 hot-work tool steel, 472
Sedimentation analysis
Investigation of fine grains distribution using the sedimentation analysis, 561
Segregation
Study of selected properties of magnesium alloy AZ91 after heat treatment and forming, 466
SEM
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Structure, chemical and phase compositions of coatings deposited by reactive magnetron sputtering onto the brass substrate, 380
SEM fracture morphology
Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel, 394
Semisolid
A downward melt drag single roll caster for casting semisolid slurry, 695
Semisolid casting
Thixoforming of laminate made from semisolid cast strips, 508
Sensitivities
An application of neural network for selecting feature parameters in machinery diagnosis, 203
Shape of forcing-through radial anvils
Modelling of shape anvils in free hot forging of long products, 131
Shear friction factor
Finite element simulation of tip test with an aluminum alloy, 171
Sheet metal forming
Simulation of the hydroforming process using a new orthotropic yield criterion, 67
Sheet metals
An anisotropic yield criterion for sheet metals, 462
The system for sheet metal forming design of complex parts, 502
Silica reinforcement
Co-continuous silica–aluminum composite, 688
$Si_3N_4$
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Structure and properties of the $Si_3N_4$ nitride ceramics with hard wear resistant coatings, 388
Single-layer coatings
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Sintering
Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels, 324
Structure and mechanical properties of HSS HS6-5-2- and HS12-1-5-5-type steel produced by modified powder injection moulding process, 658
Dilatometric analysis of sintering of iron–boron–cobalt P/M metal matrix composites, 749
Slide bearings
Evaluation of white metal adhesion (conventional casting and thermal wire arc spraying) by ultrasonic non-destructive method, 724
Sodium
Surface modification of polytetrafluoroethylene for adhesive bonding, 284
Soft magnetic properties
Magnetic properties of amorphous and nanocrystalline alloys based on iron, 735
Software
Vibration analysis software based on a matrix hybrid graph transformation into a structure of a block diagram method, 256
Solidification microstructures
Solidification microstructures in the rapidly solidified powder of high alloyed V–Cr tool steel, 729
Spot welding
Tests of thin-walled beams joined by spot welding, 405
Static recovery
Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions, 456
Static recrystallization
New method of static softening kinetics determination, 165
Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions, 456
Steel
Computer simulation of induction hardening, 55
Computer aided method for evaluation of failure class of materials working in creep conditions, 102
Modelling of three-dimensional temperature field inside the mould during continuous casting of steel, 177
Stepwise multiple regression analysis
Stand offs indirect estimation in GMAW, 3
Storage location assignment policies
Simulation model of multi-shuttle automated storage and retrieval systems, 236
Strain
The influence of technological parameters on the rotary pressing process, 604
Strain-induced transformation
Microstructure and tensile behaviour of cold-rolled TRIP-aided steels, 633
Strength
On the strength and ductility of nanocrystalline materials, 491
Stress
The influence of technological parameters on the rotary pressing process, 604
Stresses and strains
Deformability of WC–Co sinters and 17-4 PH steel brazed joints, 584
Strip caster
Thixoforming of laminate made from semisolid cast strips, 508
Casting of composite strip using a twin roll caster, 701
Downward melt drag twin roll caster, 706
Structural number
The sensitivity as a criterion of synthesis of discrete vibrating fixed mechanical system, 138

Structure
Ti+TiN, Ti+Ti($C_xN_{1-x}$), Ti+TiC PVD coatings on the ASP 30 sintered high-speed steel, 370
Study of selected properties of magnesium alloy AZ91 after heat treatment and forming, 466
Effect of thermal treatment on structure of newly developed 47CrMoWVTiCeZr16-26-8 hot-work tool steel, 472
Structure and properties of the brazed joints
Brazed joints evaluation and computer modelling of mass transport in multi-component systems in the Au–Ni solder-14-5 PH joints, 213
Weldability of 17-4 PH stainless steel in centrifugal compressor impeller applications, 578
Structure of mechanical system
Modifications of cascade structures in computer aided design of mechanical continuous vibration bar systems represented by graphs and structural numbers, 45
Surface grinding
Adequacy of matrix experiment in grinding, 566
Surface roughness
Prediction of surface roughness with genetic programming, 28
Swagelining
Swagelining as a method of pipelines rehabilitation, 637
Symmetrical forging
Effect of symmetrical and asymmetrical forging processes on the quality of forged products, 496
Systus programme
High velocity oxy-fuel spraying, 557

Technology determination
Determination of manufacturing technologies in mould manufacturing, 573
TEM
Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics, 331
Structure, chemical and phase compositions of coatings deposited by reactive magnetron sputtering onto the brass substrate 380
Temperature field
Modelling of three-dimensional temperature field inside the mould during continuous casting of steel, 177
Tensile properties
Microstructure and tensile behaviour of cold-rolled TRIP-aided steels, 633
Tensile strength
The influence of technological parameters on the rotary pressing process, 604
Tensometer
The influence of technological parameters on the rotary pressing process, 604
Testing
Study of selected properties of magnesium alloy AZ91 after heat treatment and forming, 466
Texture
Structure, chemical and phase compositions of coatings deposited by reactive magnetron sputtering onto the brass substrate, 380
Texture coefficient
(Cr, Me)N coatings deposited in a vacuum furnace by magnetron sputtering of a ferrochromium alloy, 410
Structure and properties of X150CrMo12 steel after PVDM-R by magnetron deposition of chromium nitride coatings with next heat treatment, 415
Thermal analysis
Thermal analysis of vacancy defects in quenched tin bronze-α, 590
Thermal nanocrystallization
Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type, 776
Thermo-mechanical processing
Microstructural changes taking place during the thermo-mechanical processing and cold working of steel 18Cr18Mn0.5N, 523
Thermomechanical treatment
Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions 456
Thickness layers ratio
The optimal conditions for production of bimetallic plate St36K+0H13J in asymmetrical hot rolling, 609
Thin walled bar
Hypergraphs and their subgraphs in modelling and investigation of robots, 37
Thin-walled structure
Tests of thin-walled beams joined by spot welding, 405
Thixoforming
Thixoforming of laminate made from semisolid cast strips, 508
A downward melt drag single roll caster for casting semisolid slurry, 695
Time and costs of machining
Modern machining of die and mold tools, 543
Tin
Thermal analysis of vacancy defects in quenched tin bronze-α, 590
Tip test
Finite element simulation of tip test with an aluminum alloy, 171
Titanium
Friction and wear properties of titanium and oxidised titanium in dry sliding against hardened C45 steel, 364
Titanium alloy
Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V, 643
Titanium carbon nitride coatings
Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel, 394
Tolerancing
About a CAT model consistent with ISO/TC 213 last issues, 61
Tool cermets
Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets, 304
Tool diagnostics system
Integration concept of CAM system and tool diagnostic system in optimisation of machining processes, 8
Tool flow
Databases for technological information systems, 75
Tool management system
Databases for technological information systems, 75
Tool wear
Wear of PVD-coated solid carbide end mills in dry high-speed cutting, 422
Tool/workpiece interface
Diffusion across PVD coated cermet tool/workpiece interface, 427
Tools
Databases for technological information systems, 75
Total productive maintenance
A model of data flow in lower CIM levels, 123
Track diagnostics
Autonomous track geometry diagnostics system, 194
Track geometry
Autonomous track geometry diagnostics system, 194
Transition metals
Influence of the heat treatment on the precipitation of the intermetallic phases in commercial AlMn1FeSi alloy, 624
Tribological behaviour
Deposition and some properties of nanocrystalline, nanocomposite and amorphous carbon-based coatings for tribological applications, 274

Tribological properties
Influence of tribological conditions on the dry friction mechanism of PVD Zr–C:H hard coatings, 451
Tribological system
Influence of tribological conditions on the dry friction mechanism of PVD Zr–C:H hard coatings, 451
Tribology
Erosion resistance and tribological properties of coatings deposited by reactive magnetron sputtering method onto the brass substrate, 317
Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels, 324
Friction and wear properties of titanium and oxidised titanium in dry sliding against hardened C45 steel, 364
TRIP-steels
Microstructure and tensile behaviour of cold-rolled TRIP-aided steels, 633
Tungsten
Structure and mechanical properties of formed tungsten based materials, 683
Tungsten alloys
Structure and mechanical properties of formed tungsten based materials, 683
Turning
A hybrid analytical-neural network approach to the determination of optimal cutting conditions, 82
Twin roll caster
Thixoforming of laminate made from semisolid cast strips, 508
Casting of composite strip using a twin roll caster, 701
Downward melt drag twin roll caster, 706
Twinning
Microstructural changes taking place during the thermo-mechanical processing and cold working of steel 18Cr18Mn0.5N, 523

Vacancy defects
Thermal analysis of vacancy defects in quenched tin bronze-$\alpha$ 590
Vacuum brazed joints
Deformability of WC–Co sinters and 17-4 PH steel brazed joints, 584
Vacuum brazing
Brazed joints evaluation and computer modelling of mass transport in multi-component systems in the Au–Ni solder-14-5 PH joints, 213
Weldability of 17-4 PH stainless steel in centrifugal compressor impeller applications, 578
Vacuum metallurgy
Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V, 643
The preparing of Ti–6Al–4V alloy in laboratory conditions, 781
Vibration analysis
Vibration analysis software based on a matrix hybrid graph transformation into a structure of a block diagram method, 256
Virtual manufacturing
A model of data flow in lower CIM levels, 123
Viscosity models
Viscosity models in simulation of the filling stage of the injection molding process, 183

Wear
Effect of chemical composition on corrosion and wear behaviour of the composite Ni–Fe–$Al_2O_3$ coatings, 434
Influence of tribological conditions on the dry friction mechanism of PVD Zr–C:H hard coatings, 451
Wear resistance
The influence of cast method and anodizing parameters on structure and layer thickness of aluminium alloys, 718
Welding monitorin
Stand offs indirect estimation in GMAW, 3
White layer
A contribution to the understanding of chip formation mechanism in high-speed cutting of hardened steel, 485

X-ray analysis
High-temperature chlorine–sulfur corrosion of heat-resisting steels, 348
XRD
Structure, chemical and phase compositions of coatings deposited by reactive magnetron sputtering onto the brass substrate, 380

Yield criteria
FLD theoretical model using a new anisotropic yield criterion, 23
Yield criterion
An anisotropic yield criterion for sheet metals, 462
Youngs modulus
Structure and properties of X150CrMo12 steel after PVDM-R by magnetron deposition of chromium nitride coatings with next heat treatment, 415

Zr–C:H coatings
Influence of tribological conditions on the dry friction mechanism of PVD Zr–C:H hard coatings, 451